

Date of Issue: September 2019

Affected Publication: API Specification 19V, *Subsurface Completion Isolation (Barrier) Valves and Related Equipment*, Second Edition, May 2019

Errata 1

Section 1.2.2: The third paragraph shall be replaced with the following:

When FEA has identified plastic strain in excess of 0.2 %, a ratcheting analysis shall be performed per ASME BPVC, Section VIII, Division 3, Article KD-234, or ASME BPVC, Section VIII, Division 2, Section 5.5.7. The material performance data shall be obtained via testing performed as defined in section 1.2.4.