

If you have any questions or comments regarding API standards, please visit [www.api.org/standards](http://www.api.org/standards).

NOTE Free publications with an asterisk are subject to a \$10.00 handling charge for each total order, plus actual shipping charges.

## GENERAL

### Publ 1593

#### Gasoline Marketing in the United States Today

Provides information on motor fuel and gasoline consumption, U.S. motor fuel distribution, the U.S. gasoline pricing system, motor gasoline prices and taxes, the number/configuration of retail gasoline outlets, and employment/productivity in the retail gasoline distribution industry. Pages: 77

3rd Edition | May 1992 | Product Number: A15930 | Price: \$115.00

### Publ 1673

#### Compilation of Air Emission for Petroleum Distribution Dispensing Facilities

Compiles the most widely accepted, available emission factors and emission estimation techniques for developing air emission estimates from evaporative loss sources of petroleum products at marketing and distribution facilities. These losses can occur from transfer and storage operations and fugitive equipment leaks and spillage. Pages: 29

2nd Edition | July 2009 | Product Number: A16732 | Price: \$81.00

## AVIATION

### RP 1543

#### Documentation, Monitoring and Laboratory Testing of Aviation Fuel During Shipment from Refinery to Airport

Aviation fuels pass through a variety of storage and handling facilities, from refinery to airport. As aviation fuels are stored and transported in storage and transportation systems where contact with non-aviation products may occur, a fuel quality monitoring program is required, in addition to equipment, operating, inspection and maintenance standards. The purpose of this practice is to ensure the fuel remains on specification. This recommended practice (RP) was written to provide guidance on the development of an aviation fuel monitoring and testing program (fuel quality monitoring program) for aviation fuel from point of manufacture to delivery to the airport. "Proper handling" entails documenting and testing aviation fuel quality as product is transported throughout the supply chain to maintain the original product specification. Pages: 25

1st Edition | July 2009 | Product Number: A154301 | Price: \$59.00

### RP 1595

#### Design, Construction, Operation, Maintenance, and Inspection of Aviation Pre-Airfield Storage Terminals

Contains basic requirements for the design, construction, operation, and maintenance of pre-airfield storage terminals located directly upstream of the airport, hereafter referred to as "pre-airfield storage terminals." This recommended practice provides guidance on the minimum equipment standards and operating procedures for the receipt and storage of aviation fuels at pre-airfield storage terminals, located directly upstream of the airport, and its shipment directly via a grade-dedicated pipeline, marine vessel (barge or ship), or road/rail transport to an airport. This RP does not address in-transit or breakout storage upstream of the pre-airfield storage terminal. The design and construction provisions of this standard are intended for application at new facilities. Application of the design and construction provisions of this standard to facilities, equipment, structures, or installations that are already in place, that are in the process of construction or that are installed before the date of this publication, should be evaluated when circumstances merit. Such an evaluation should consider the site-specific circumstances and detailed accounting for both the potential and tolerance for risk, existing conditions at the installation, and overall benefit for applying the required design and construction provisions.

The operation, sampling, testing, and maintenance provisions in the various sections of this standard shall apply to both new and existing installations. Pages: 75

2nd Edition | October 2012 | Product Number: C159502 | Price: \$232.00

#### As of 2010, API does not maintain or distribute the following aviation fuel equipment related documents:

### EI 1529

#### Aviation Fuelling Hose

### EI 1540

#### Design, Construction, Operation and Maintenance of Aviation Fueling Facilities, IP Model Code of Safe Practice Part 7

### EI 1542

#### Identification Markings for Dedicated Aviation Fuel Manufacturing and Distribution Facilities, Airport Storage and Mobile Fuelling Equipment

### EI 1550

#### Handbook on Equipment Used for the Maintenance and Delivery of Clean Aviation Fuel

### EI 1581

#### Specification and Qualification Procedures for Aviation Jet Fuel Filter/Separators

### EI 1582

#### Specification for Similarity for API/EI 1581 Aviation Jet Fuel Filter/Separators

### EI 1584

#### Four-Inch Aviation Hydrant System Components and Arrangements

### EI 1585

#### Guidance in the Cleaning of Aviation Fuel Hydrant Systems at Airports

### EI 1590

#### Specifications and Qualification Procedures for Aviation Fuel Microfilters

### EI 1594

#### Initial Pressure Strength Testing of Airport Fuel Hydrant Systems with Water

### EI 1596

#### Design and Construction of Aviation Fuel Filter Vessels

### EI 1597

#### Procedures for Overwing Fuelling to Ensure Delivery of the Correct Fuel Grade to an Aircraft

### EI 1598

#### Considerations for Electronic Sensors to Monitor Free Water and/or Particulate Matter in Aviation Fuel

### EI 1599

#### Laboratory Tests and Minimum Performance Levels for Aviation Fuel Dirt Defense Filters

The documents listed above are maintained and distributed by the Energy Institute. For ordering information, please refer to the following website:

[www.energypublishing.org](http://www.energypublishing.org)

## MARKETING OPERATIONS

### RP 1525 ♦

#### Bulk Oil Testing, Handling, and Storage Guidelines

Designed to be used as a reference and management guide by personnel operating and managing petroleum and tank facilities associated with the storage and distribution of petroleum lubricants. Topics covered include equipment and facility standards, product sampling and testing methods and equipment, receiving and storage of bulk lubricants, and packaging and loading petroleum lubricants for distribution to other facilities. Pages: 28

1st Edition | June 1997 | Product Number: F15251 | Price: \$65.00

### RP 1604

#### Closure of Underground Petroleum Storage Tanks

Provides operating procedures that may be used for the abandonment, removal, storage, temporarily-out-of-service, and sale of used underground tanks that have contained gasoline or other flammable liquids. Pages: 9

3rd Edition | March 1996 | Reaffirmed: December 2010

Product Number: A16043 | Price: \$76.00

You may access RP 1604 in a read-only platform: [publications.api.org](http://publications.api.org)

### RP 1615

#### Installation of Underground Petroleum Storage Systems

Guide to procedures and equipment that should be used for the proper installation of underground storage systems for bulk petroleum products or used oil at retail and commercial facilities. The stored products include gasoline, diesel fuel, kerosene, lubricating oils, used oil, and certain bio-fuel blends. This RP is intended for use by architects, engineers, tank owners, tank operators, and contractors. Contractors, engineers, and owners or operators who are preparing to design or install an UST system should investigate the federal, state, and local requirements and current methods of compliance for vapor recovery in that region. Vapor recovery is covered in detail in Section 17 of this document. This RP is not intended to cover specialized installations, such as fuel storage systems at marinas or airports, heating oil storage systems (either residential or bulk), or systems installed inside buildings. However, it does outline recognized and generally accepted good engineering practices that may be of use for these specialized installations. This RP does not apply to the installation of below ground or above ground bulk storage systems greater than 60,000 gallons. Pages: 89

6th Edition | April 2011 | Product Number: A16156 | Price: \$205.00

You may access RP 1615 in a read-only platform: [publications.api.org](http://publications.api.org)

### RP 1621

#### Bulk Liquid Stock Control at Retail Outlets

Primarily applies to underground storage of motor fuels and used oil at retail and commercial facilities. It assists the operator in controlling bulk stock losses, thereby achieving a high level of safety and pollution control, while maximizing profits. Pages: 25

5th Edition | May 1993 | Reaffirmed: May 2012

Product Number: A16210 | Price: \$83.00

You may access RP 1621 in a read-only platform: [publications.api.org](http://publications.api.org)

### RP 1626

#### Storing and Handling Ethanol and Gasoline-Ethanol Blends at Distribution Terminals and Filling Stations

(includes Errata 1 dated February 2011)

Describes recommended practices for the storing, handling, and fire protection of ethanol and gasoline-ethanol blends from E1 to E10 and from E70 to E100 (used for E85) at distribution terminals and filling stations. Where information exists for gasoline-ethanol blends from E11 to E15, it is shared. Recommended practices for E16 through E69 are not covered because currently these blends are not legal gasoline blends or alternative fuels. There is a general lack of information on the properties of these blends and there are currently no filling station components certified by any nationally recognized testing laboratory for these blends. Pages: 59

2nd Edition | August 2010 | Product Number: A16262 | Price: \$155.00

You may access RP 1626 in a read-only platform: [publications.api.org](http://publications.api.org)

### Std 1631

#### Interior Lining and Periodic Inspection of Underground Storage Tanks

Provides minimum recommendations for the interior lining of existing steel and fiberglass reinforced plastic underground tanks used to store petroleum-based motor fuels and middle distillates. Recommendations and procedures to be followed by contractors, mechanics, and engineers are presented. Methods for vapor-freeing tanks, removing sediment, and cleaning interior surfaces of steel and fiberglass tanks are also presented, as are guidelines for identifying tanks that may be lined. The methods described in this standard are applicable to steel and fiberglass-reinforced plastic tanks used for the storage of petroleum-based motor fuels and middle distillates. The procedures are applicable to tanks installed in typical retail service station outlets, but may also be used for tanks installed at other types of facilities. Pages: 25

5th Edition | June 2001 | Reaffirmed: December 2010

Product Number: A16315 | Price: \$86.00

You may access Std 1631 in a read-only platform: [publications.api.org](http://publications.api.org)

### RP 1637

#### Using the API Color-Symbol System to Mark Equipment and Vehicles for Product Identification at Gasoline Dispensing Facilities and Distribution Terminals

(includes Errata 1 dated January 2007)

Describes a system for marking equipment used to store and handle bulk petroleum, alcohol-blended petroleum and biodiesel products. The marking system described in this recommended practice does not cover aviation fuels. Marking systems for aviation fuels are described in API/IP Std 1542. Pages: 15

3rd Edition | July 2006 | Reaffirmed: May 2012

Product Number: A16373 | Price: \$66.00

You may access RP 1637 in a read-only platform: [publications.api.org](http://publications.api.org)

### RP 1639

#### Owner/Operator's Guide to Operation and Maintenance of Vapor Recovery Systems at Gasoline Dispensing Facilities

Provides guidance for owners and operators of gasoline dispensing facilities and regulatory officials regarding the operation and maintenance of gasoline vapor recovery systems and components. Proper operation and maintenance of the equipment can improve compliance with vapor recovery regulations and provide substantial emission reductions. This guide does not address the maintenance required qualified service technicians. Pages: 22

1st Edition | July 2003 | Reaffirmed: May 2012

Product Number: A16391 | Price: \$86.00

### RP 1640

#### Product Quality in Light Product Storage and Handling Operations

Prepared by the API Fuels Marketing Subcommittee with technical participation and feedback from other industry stakeholders. It assists those involved in fuel handling at distribution and intermediate storage facilities. This publication provides guidance on the minimum equipment standards and operating procedures for the receipt, storage, blending, and delivery of light products, their blend components, and additives at distribution and intermediate storage terminals, including related operations of pipeline, marine vessel (barge or ship), and road/rail transport. This RP also covers the minimum equipment standards and operating procedures for the receipt, storage, blending of light products, including but not limited to gasoline, kerosene, diesel, heating oil and their blend components (i.e. ethanol, biodiesel, and butane) at distribution and storage terminals, as well as light product shipments directly via a pipeline, marine vessel (barge or ship) or road and rail transport. In addition, this RP provides guidance for the design, construction, operation, and maintenance of light products storage and distribution terminals with the specific intent of protecting or ensuring product quality. Pages: 64

1st Edition | August 2013 | Product Number: A164001 | Price: \$160.00

## Publ 1642

### Alcohol, Ethers, and Gasoline-Alcohol and -Ether Blends

Examines fire safety considerations at petroleum marketing facilities. Focuses on gasoline blended with oxygenates, and M85, but also includes alcohols and ethers because they may be present at terminals and bulk plants for blending purposes. Pages: 12

1st Edition | February 1996 | Product Number: A16421 | Price: \$60.00

## Publ 1645

### Stage II Cost Study

Addresses the general installation cost information for three different types of retail gasoline outlet (RGO) vapor recovery systems: vapor balance, passive vacuum assist, and active vacuum assist. Additionally, it provides an overview of how each system operates. Pages: 6

1st Edition | August 2002 | Product Number: A16451 | Price: \$57.00

## Std 2610

### Design, Construction, Operation, Maintenance, and Inspection of Terminal and Tank Facilities

Covers the design, construction, operation, inspection, and maintenance of petroleum terminal and tank facilities associated with marketing, refining, pipeline, and other similar activities. Covers site selection and spacing, pollution prevention and waste management, safe operations, fire prevention and protection, tanks, dikes and berms, mechanical systems (pipe, valves, pumps, and piping systems), product transfer, corrosion protection, structures, utilities and yard, and removals and decommissioning.

The purpose of this standard is to consolidate a wide base of current industry experience, knowledge, information, and management practices into a cohesive standard comprising a range of best practices. Pages: 53

2nd Edition | May 2005 | Reaffirmed: December 2010

2-Year Extension: May 2016 | Product Number: C26102 | Price: \$122.00

## Std 2610 \*

### Design, Construction, Operation, Maintenance, and Inspection of Terminal and Tank Facilities—Spanish

Spanish translation of Std 2610.

2nd Edition | May 2005 | Product Number: C26102SP | Price: \$121.00

## RP 2611

### Terminal Piping Inspection—Inspection of In-Service Terminal Piping Systems

Covers the inspection of typical terminal piping systems within terminal boundaries, which includes off-plot piping. Off-plot piping includes, but is not limited to piping between facilities, piping that comes from or goes to a refinery, or other type facility, or piping that may cross a road, ditch, or other property outside the confines of a terminal facility. Piping for transportation of finished fuel products, such as gasoline, diesel, lubricating oils, jet fuel, and aviation fuel, are covered by the scope of this document. Also covered are piping systems for nonfuel-type fluids. The piping for other terminal nonfuel-type fluids typically found in terminals, include asphaltic products, process water, transmix, slop water, and biofuels. This document does not address piping in a refinery facility, sanitary waste piping, cast iron piping, and nonmetallic gravity flow piping systems. Pages: 42

1st Edition | June 2011 | Product Number: A261101 | Price: \$98.00

## USED OIL

### A Guidebook for Implementing Curbside and Drop-Off Used Motor Oil Collection Programs

Designed to help municipal managers and regulators evaluate the types of available programs (either curbside or drop-off programs, including examples of both), and how to effectively implement these used oil recycling programs. It is based on national surveys of existing programs throughout the country and includes examples of budgets, procedures, equipment, and model programs that are currently underway. Pages: 47

1st Edition | February 1992 | Product Number: B20002 | Price: Free

### National Used Oil Collection Study

Reviews the status of used engine oil collection in the United States. Documents state efforts to collect oil and the outcomes of such efforts. Provides examples of how used oil collection can be successful, as well as warning of the pitfalls that should be avoided, based on the experience of other states. Pages: 248

1st Edition | June 1996 | Product Number: B18301 | Price: \$59.00

## Publ 1835 ♦

### Study of Used Motor Oil Recycling in Eleven Selected Countries

The study described in this report obtained information about used motor oil collection and recycling programs in 11 selected countries around the world. Pages: 55

1st Edition | November 1997 | Product Number: B18351 | Price: \$59.00

## TANK TRUCK OPERATIONS

### For Safety's Sake—MC 306 Cargo Tank Vehicle Inspection

This VHS tape provides a step-by-step approach to pre- and post-trip inspection of MC 306 cargo tank vehicles. The tape follows a driver through an actual walk-around inspection and covers driver recordkeeping and the inspection itself—brakes, lights, mirrors, tires, wiring, the tank, and placards. Also includes common truck defects. The videotape was prepared under the direction of the API Highway Safety Committee and parallels the U.S. Department of Transportation's truck inspection regulations. Two minutes of blank leader is provided on the tape so that it can be customized to fit company training needs. VHS tape: 14 minutes. Pages: 65

January 1989 | Product Number: A11500 | Price: \$103.00

## RP 1004

### Bottom Loading and Vapor Recovery for MC-306 & DOT-406 Tank Motor Vehicles

Provides an industry standard for bottom loading and vapor recovery of proprietary and hired carrier DOT MC-306 tank vehicles at terminals operated by more than one supplier. Guides the manufacturer and operator of a tank vehicle as to the uniform features that should be provided to permit loading of a tank vehicle with a standard 4-in. adapter. This edition of RP 1004 requires an independent secondary control system and maximum requirements for outage in the tank to allow the secondary control system to function. Pages: 21

8th Edition | January 2003 | Reaffirmed: February 2011

Product Number: A10048 | Price: \$111.00

\*These translated versions are provided for the convenience of our customers and are not officially endorsed by API. The translated versions shall neither replace nor supersede the English-language versions, which remain the official standards. API shall not be responsible for any discrepancies or interpretations of these translations. Translations may not include any addenda or errata to the document. Please check the English-language versions for any updates to the documents.

## Marketing

Phone Orders: +1 800 854 7179 (Toll-free: U.S. and Canada)

Phone Orders: +1 303 397 7956 (Local and International)

### RP 1007

#### Loading and Unloading of MC 306/DOT 406 Cargo Tank Motor Vehicles

Ensuring the safe and efficient loading and delivery of petroleum products to retail service stations and bulk facilities is the primary goal for all companies that transport product. This document is a guideline for use by the truck driver and persons responsible for loading and unloading of MC306/DOT406 cargo tanks. It identifies specific steps to ensure that product can be loaded into tank trucks and unloaded into both underground and aboveground storage tanks in a safe and efficient manner that protects the environment. It is intended to be used in conjunction with existing driver training programs and procedures. Pages: 24

1st Edition | March 2001 | Reaffirmed: February 2011

Product Number: A10071 | Price: \$39.00

You may access RP 1007 in a read-only platform at [publications.api.org](http://publications.api.org)

To order, contact Techstreet at:

3916 Ranchero Drive | Ann Arbor, MI 48108, USA

Telephone Orders: 1-800-699-9277 (Toll-free in the U.S. and Canada)  
(734) 780-8000 (Local and International)

Fax Orders: (734) 780-2046

Online Orders: [www.techstreet.com](http://www.techstreet.com)

### RP 1112

#### Developing a Highway Emergency Response Plan for Incidents Involving Hazardous Materials

Provides minimum guidelines for developing an emergency response plan for incidents involving hazardous liquid hydrocarbons, such as gasoline and crude oil, transported in MC 306/DOT 406 and MC 307/DOT 407 aluminum cargo tanks, and for coordinating and cooperating with local, state, and federal officials. Covers response plan priorities, personnel training, special equipment, media relations, environmental relations, and post-response activities. The appendixes outline a highway emergency response plan and suggest a procedure for removing liquid hydrocarbons from overturned cargo tanks and righting the tank vehicles. Pages: 21

3rd Edition | November 1997 | Reaffirmed: February 2011

Product Number: A11123 | Price: \$76.00

## MOTOR OILS AND LUBRICANTS

### Motor Oil Shelf Cards ♦

This two-page laminated guide helps consumers understand the API Engine Oil Quality Marks—the API Certification Mark, “Starburst,” and Service Symbol, “Donut,” and the API Service Categories. Shelf Cards are available in English and Spanish and can be personalized with a company logo. For information on personalizing the shelf cards, call 202-682-8156.

Single copies free on request from API [[eoics@api.org](mailto:eoics@api.org) or (202)-682-8516]  
Packs of 50 for \$130.00

### Publ 1509 ♦

#### Engine Oil Licensing and Certification System

(includes Addendum 1 dated October 2014)

Describes the voluntary API Engine Oil Licensing and Certification System (EOLCS) and explains to marketers how different API marks are licensed and displayed for the consumer. The publication describes methods for developing new engine oil performance requirements and provides the marketer with a description of the API marks and their use, licensing requirements, aftermarket conformance, and enforcement procedures. EOLCS is the result of cooperation between U.S. and Japanese automobile manufacturers, diesel engine manufacturers, the additive industry represented by the American Chemistry Council (ACC), and the U.S. petroleum industry represented by API. This program benefits consumers, the petroleum industry, and gasoline- and diesel-engine manufacturers. Pages: 72

17th Edition | September 2012 | This document is available for free through the EOLCS/Publications portion of API's website, [www.api.org](http://www.api.org).

### Publ 1520 ♦

#### Directory of Licensees: API Engine Oil Licensing and Certification System

Identifies the companies licensed to display the API Engine Oil Licensing and Certification System (EOLCS) Symbols.

This directory can be accessed only through API's website, [www.api.org](http://www.api.org)

## DIESEL FUEL

### Publ 1571

#### Diesel Fuel—Questions and Answers for Highway and Off-Highway Use

Provides answers to some of the frequent questions asked about diesel fuel. Included are explanations of the quality features of diesel fuel and their significance, descriptions of diesel fuel classifications, discussions of additives normally used and their purposes, and explanations of factors that can affect performance. Pages: 20

4th Edition | January 1996 | Product Number: F15714

Price: Pack of 25 for \$73.00

## HEALTH, ENVIRONMENT, AND SAFETY: GENERAL

### Std 2350

#### Overfill Protection for Storage Tanks in Petroleum Facilities (ANSI/API Std 2350)

Applies to storage tanks associated with marketing, refining, pipeline, and terminals operations and with tanks containing Class I or Class II petroleum liquids and use is recommended for Class III petroleum liquids. This standard addresses overfill protection for petroleum storage tanks. It recognizes that prevention provides the most basic level of protection, thus while using both terms “protection” and “prevention,” the document emphasizes prevention. The standard's scope covers overfill (and damage) prevention practices for aboveground storage tanks in petroleum facilities, including refineries, marketing terminals, bulk plants, and pipeline terminals that receive flammable and combustible liquids. The fourth edition continues to build on experience and new technology through the use of management systems. Since operations are the primary overfill prevention safeguard, new definitions and requirements are established for alarms. Risk reduction is also addressed by current and generally accepted industry practices.

The essential elements of this document are based on current industry safe operating practices and existing consensus standards. Federal, state, and local regulations or laws may contain additional requirements for tank overfill protection programs. For existing facilities, the results of a risk-based analysis of aboveground atmospheric petroleum storage tanks may indicate the need for more protection against overfilling. In such cases, some provisions from this standard may be suitable.

The purpose of this standard is to assist owner/operators and operating personnel in the prevention of tank overfills by implementation of a comprehensive overfill prevention process (OPP). The goal is to receive product into the intended storage tank without overfill or loss of containment.

This standard does not apply to: underground storage tanks; aboveground tanks of 1320 U.S. gallons (5000 liters) or less; aboveground tanks which comply with PEI 600; pressure vessels; tanks containing non-petroleum liquids; tanks storing LPG and LNG; tanks at service stations; tanks filled exclusively from wheeled vehicles (i.e. tank trucks or railroad tank cars); and tanks covered by OSHA 29 CFR 1910.119 and EPA 40 CFR 68, or similar regulations. Pages: 47

4th Edition | May 2012 | Product Number: K235004 | Price: \$114.00

You may access the 3rd and 4th Editions of RP 2350 in a read-only platform: [publications.api.org](http://publications.api.org)

## HEALTH, ENVIRONMENT, AND SAFETY: WASTE

### Publ 1638

#### Waste Management Practices for Petroleum Marketing Facilities

Provides specific guidance for managing typical waste streams at petroleum marketing facilities. This publication covers petroleum marketing facilities ranging from retail fuel convenience stores to terminals and lube plants. Pages: 20

1st Edition | October 1994 | Product Number: A16381 | Price: \$76.00

## HEALTH, ENVIRONMENT, AND SAFETY: WATER

### Publ 1612

#### Guidance Document for Discharging of Petroleum Distribution Terminal Effluents to Publicly Owned Treatment Works

Provides terminal managers with guidance on discharging terminal effluents to publicly owned treatment works (POTWs). Covers relations with POTW personnel, POTW concerns in accepting terminals wastewater, pretreatment regulations and local limits on the discharge of wastewaters to POTWs, and associated costs. Pages: 34

1st Edition | November 1996 | Product Number: A16121 | Price: \$97.00

### Publ 1669

#### Results of a Retail Gasoline Outlet and Commercial Parking Lot Storm Water Runoff Study

Presents the findings of a study to characterize storm water runoff from retail gasoline outlets and compares the results with runoff from commercial parking lots and published urban "background" values. Funded by the Western States Petroleum Association (WSPA) and the American Petroleum Institute (API), the results of this study indicate that fueling activities at normally operated and maintained retail gasoline outlets do not contribute additional significant concentrations of measured constituents in storm water runoff. Pages: 24

1st Edition | December 1994 | Product Number: A16691 | Price: \$83.00

## HEALTH, ENVIRONMENT, AND SAFETY: SOIL AND GROUNDWATER

### Publ 1628

#### A Guide to the Assessment and Remediation of Underground Petroleum Releases

Provides an overview of proven technologies for the assessment and remediation of petroleum releases in soil and groundwater. Covers accidental releases arising from the production, transportation, refining, and marketing of liquid petroleum products or unrefined crude oil. Pages: 119

3rd Edition | July 1996 | Product Number: A16283 | Price: \$164.00

Publ 1628 and its five companion publications (1628A, 1628B, 1628C, 1628D, and 1628E) may be purchased as a set.

Order Number: A1628S | Price: \$323.00

### Publ 1628A

#### Natural Attenuation Processes

Describes the physical, chemical, and biological processes that decrease the concentrations and ultimately limit the extent of the dissolved plume migrating from a hydrocarbon release. Pages: 16

1st Edition | July 1996 | Product Number: A1628A | Price: \$59.00

### Publ 1628B

#### Risk-Based Decision Making

Discusses risk-based decision making approaches used for the assessment of hazardous conditions. Also presents information that can be utilized to focus remedial measures and funds on petroleum hydrocarbon release sites while being protective of human health and the environment, and to facilitate timely closure of hydrocarbon-impacted sites. Pages: 13

1st Edition | July 1996 | Product Number: A1628B | Price: \$59.00

### Publ 1628C

#### Optimization of Hydrocarbon Recovery

Covers the optimization, in its broadest sense, to achieve an environmentally sound site closure in the appropriate timeframe for the least cost (to maximize efficiency of the selected system). Pages: 20

1st Edition | July 1996 | Product Number: A1628C | Price: \$59.00

### Publ 1628D

#### In-Situ Air Sparging

Addresses in-situ air sparging. Covers remediation technologies, starting with the early techniques of containment or mass reduction through today's very aggressive site closure techniques. Addresses containment as well as residual petroleum hydrocarbon compounds. Pages: 13

1st Edition | July 1996 | Product Number: A1628D | Price: \$59.00

### Publ 1628E

#### Operation and Maintenance Considerations for Hydrocarbon Remediation Systems

Discusses concepts regarding operation and maintenance procedures necessary to achieve and maintain optimal performance of petroleum hydrocarbon remediation systems.

1st Edition | July 1996 | Product Number: A1628E | Price: \$59.00

### Publ 1629

#### Guide for Assessing and Remediating Petroleum Hydrocarbons in Soils

This publication provides information regarding the site and release characteristics relevant to, and methods for assessing and remediating, soils contaminated with petroleum hydrocarbons released from underground or aboveground storage tank systems and operations. Developed to complement Publ 1628, which focuses primarily on assessing and remediating petroleum releases that may impact groundwater. Pages: 81

1st Edition | October 1993 | Product Number: A16290 | Price: \$150.00

## SECURITY

### API Standard for Third Party Network Connectivity

Provides guidance for implementing secure third-party connections between the information technology systems and a network of two companies that have a business relationship and a common objective. The standard provides suggestions for companies to follow to establish third-party network connections, while protecting their individual systems and data from unauthorized access or manipulation. Pages: 36

1st Edition | November 2007 | Product Number: TSTP01 | Price: \$90.00

### Security Guidelines for the Petroleum Industry

API's 3rd Edition of this document is now in use at oil and gas facilities around the world to help managers decide how to deter terrorist attacks. Covering all segments of the industry (production, refining, transportation, pipeline, and marketing), this guidance builds on the existing solid foundation of design and operational regulations, standards, and recommended practices, which relate to facility design and safety, environmental protection, emergency response, and protection from theft and vandalism. Produced in close collaboration with the U.S. Department of Homeland Security and other federal agencies, these guidelines, viewed as a living document, are broadly applicable to facility security in light of September 11, 2001, and provide the starting point for developing security plans at oil and natural gas facilities and operations. Pages: 58

3rd Edition | April 2005 | Product Number: OS0002 | Price: \$191.00

You may access this document in a read-only platform: [publications.api.org](http://publications.api.org)

### **Security Vulnerability Assessment Methodology for the Petroleum and Petrochemical Industries**

API and the National Petrochemical & Refiners Association jointly developed a new methodology for evaluating the likelihood and consequences of terrorist attacks against refineries and petrochemical facilities. This document is designed for companies to use in assessing vulnerabilities and potential damages from different kinds of terrorist attacks. In the post September 11 era, companies have reevaluated and enhanced security at their facilities. The methodology will provide officials with a new analytical tool to determine “the likelihood of an adversary successfully exploiting vulnerability and the resulting degree of damage or impact.” This vulnerability assessment methodology was produced in close collaboration with the U.S. Department of Homeland Security and other federal agencies. Pages: 155

October 2004 | Product Number: OSVA02 | Price: \$191.00

You may access this in a read-only platform: [publications.api.org](http://publications.api.org)

### **Std 1164**

#### **Pipeline SCADA Security**

Provides guidance to the operators of oil and gas liquids pipeline systems for managing SCADA system integrity and security. The use of this document is not limited to pipelines regulated under Title 49 *CFR* 195.1, but should be viewed as a listing of best practices to be employed when reviewing and developing standards for a SCADA system. This document embodies API's *Security Guidelines for the Petroleum Industry*. This guideline is designed to provide operators with a description of industry practices in SCADA security, and to provide the framework needed to develop sound security practices within the operator's individual companies. It is important that operators understand system vulnerability and risks when reviewing the SCADA system for possible system improvements. The goal of an operator is to control the pipeline such that there are no adverse effects on employees, the environment, the public, or the customers as a result of actions by the operator, or by other parties. This document's main body provides a high-level view of holistic security practices. The annexes provide further details and technical guidance. Reviewing this document and following the guidance set forth in the annexes assists in creating inherently secure operations. Implementation of this standard to advance supervisory control and data acquisition (SCADA) cyber security is a continuous process. The overall process could take years to implement, depending on the complexity of the SCADA system. Additionally, the process would optimally be started as part of a SCADA upgrade project and use this standard to “design in” security as an element of the new system. Pages: 64

2nd Edition | June 2009 | Reaffirmed; October 2016

2-Year Extension: September 2014

Product Number: D11642 | Price: \$146.00