



AMERICAN PETROLEUM INSTITUTE

ANSI/API *MPMS* Chapter 21.1

Flow Measurement Using Electronic Metering Systems— Electronic Gas Measurement

SECOND EDITION | FEBRUARY 2013 | 94 PAGES | \$165.00 | PRODUCT NO. H210102

This standard describes the minimum specifications for electronic gas measurement systems used in the measurement and recording of flow parameters of gaseous phase hydrocarbon and other related fluids for custody transfer applications utilizing industry recognized primary measurement devices.

Electronic gas measurement (EGM) systems may be comprised of a number of components which work together to measure and record gas flow as shown in Figure 1. The components contained in the cloud are considered part of the EGM system. The components may be considered individually or be integral parts of the EGM system and the calculations may be performed onsite and/or off-site.

This standard provides the minimum reporting and change management requirements of the various intelligent components required for accurate and auditable measurement. The requirements can be met by a combination of electronically and/or manually recorded configuration, test reports, change record reporting of the electronic gas measurement system components and flow parameters. It is recognized that diagnostic capabilities of the newer meter and transmitter technologies are important but due to the device specific complexity, intelligent device diagnostics are out of scope for this standard.

For ordering information:

Online: www.api.org/pubs

Phone: 1-800-854-7179
(Toll-free in the U.S. and Canada)

(+1) 303-397-7056
(Local and International)

Fax: (+1) 303-397-2740

API members receive a 30% discount where applicable.

Contents

Page

1	Scope	1
2	Normative References	2
3	Descriptions, Definitions, and Symbols	2
3.1	Description of an Electronic Gas Measurement System	2
3.2	Elements of a Gas Measurement System	2
3.3	Definitions	3
3.4	Symbols	9
4	Electronic Gas Measurement System Algorithms	11
4.1	General	11
4.2	Overview	11
4.3	Quantity Calculation Period (QCP)	12
4.4	Differential Meter Measurement	12
4.5	Linear Meter Measurement	18
4.6	Value Determination For Live Inputs	24
4.7	Compressibility, Density, Heating Value, and Composition	24
5	Audit and Record Requirements	24
5.1	Introduction	24
5.2	Quantity Transaction Record (QTR)	24
5.3	Software/Firmware Identifiers	27
5.4	Configuration Log	28
5.5	Event Log	28
5.6	Alarm and Operating Data	28
5.7	Corrected Quantity Transaction Record (QTRcorr)	28
5.8	Test Record	29
6	Data Availability	29
6.1	General	29
6.2	Onsite Data Requirements	30
6.3	Off-Site Data Requirements	30
6.4	Data Retention	31
7	Commissioning	31
7.1	General	31
7.2	Documentation Review	31
7.3	Final Integrated EGM System Site Commissioning	32
7.4	Commissioning Documentation	34
8	Equipment Verification and Calibration	34
8.1	Components Requiring Verification/Calibration	34
8.2	Verification and Calibration	35
8.3	Ambient Temperature, Line Pressure, and Atmospheric Pressure Effects	41
8.4	Verification and Calibration Equipment	41
9	Security and Data Integrity	42
9.1	Introduction	42
9.2	Restricting Access	42
9.3	Intelligent Device Data Communication Integrity	42
9.4	Integrity of Logged Data	43
9.5	Algorithm Protection	43

9.6	EGM Memory Protection	43
9.7	Integrity of Transferred Data	43
Annex A (informative) Rans Methodology for Estimating Sampling Frequency and Calculation		
	Algorithm Errors	44
Annex B (normative)	Averaging Techniques	59
Annex C (informative)	Correction Methodology	62
Annex D (normative)	Calculation of Normal Operating Range and Percent Fluctuation	64
Annex E (informative)	Example Flow Computer Variable Input Type Testing - Differential Meters.	67
Annex F (informative)	Example Commissioning Checklist.	76
Annex G (informative)	Examples of Configuration Log Data	77
Annex H (informative)	Calculation of Differential Pressure “As-Found”	80
Annex I (informative)	Example of a Redundancy Verification Report	83
Annex J (informative)	Examples of Applying Linear Meter Equations	85
Annex K (informative)	Example of Using DP_{IV}, DP_Y, and a Volumetric Flow Rate Calculator to Recalculate a QCP or QTR	91
	Bibliography	94
Figures		
1	Graphical Representation of an Electronic Gas Measurement (EGM) System and Its Relationship to Other Devices	1
2	Estimated Expansion Factor Errors Based Hourly QTRs and $DPISP$ Ratios	17
3	Conceptual Representation of an EGM System.	33
4	Verification/Calibration Process	36
A.1	46
A.2	46
A.3	47
A.4	47
A.5	Flow Rate Fluctuation Correction Factor	52
A.6	One Second Logged Data.	53
A.7	One Minute Flow Time Linear Averages of Logged Data	53
A.8	Comparison of Differential Pressure Averages	54
A.9	Estimated Expansion Factor Error Using Hourly QTR Recalcs and $DPISP$ Ratios	56
A.10	Example Calculations Plotted on the Expansion Factor Error Graph.	58
D.1	Typical Operating Pressure/Calculated Normal Operating Range	65
D.2	Frequency Distribution Showing 5th Percentile and 95th Percentile	65
D.3	Example of Operating Pressure that is Not Normally Distributed.	66
E.1	Block Diagram of Test Set-up and Algorithm Verification Process.	68
E.2	Example of an Over-damped I/P Output	70
E.3	Example of an Over-damped I/P Output	71
E.4	I/P with Poor Output Control	72
E.5	I/P with Good Output Control.	72
E.6	Example of One Hour Differential Pressure Trend with a Five Minute Offset	74

E.7	Notice Late Trend Last Five Minutes Matches First Five Minutes of the On-time Trend	75
H.1	Calculation of “Equivalent” Working Pressure As-found and Calibration Error.....	81
H.2	Atmospheric Pressure/Calculation of “Equivalent” Working Pressure As-left.....	82
H.3	Calculated “Equivalent” Working Pressure As-Found/As-Left Verifications.....	82
K.1	Differences Between DP_{IV} and DP_{Linear} and Recalculated Volumes, Using Hourly QTR Data for a Plunger Lift Production Area	91
K.2	Differences Between DP _{IV} , DP _{linear} , and DP _Y Calculated from Hourly QTR Data for a Plunger Lift Protection Area	92
K.3	Differences Between Expansion Factor (Y) Calculated Using DP _{IV} , DP _{linear} , and DP _Y for a Plunger Lift Production Area.....	93
Tables		
1	Maintenance Practices	35
A.1	Algorithm Flow Pattern/Calculation Frequency Check of Data in Figure A.6	55
A.2	Table of Example QTRs Used to Check DP_Y vs. DP_{Linear} Expansion Factor Errors	57