



AMERICAN PETROLEUM INSTITUTE

---

# API Standard 663

## Hairpin-type Heat Exchangers

FIRST EDITION | MAY 2014 | 44 PAGES | \$175.00 | PRODUCT NO. C66301

---

This standard specifies requirements and gives recommendations for the mechanical design, materials selection, fabrication, inspection, testing and preparation for shipment of hairpin heat exchangers for use in the petroleum, petrochemical and natural gas industries. Hairpin heat exchangers include double-pipe and multi-tube type heat exchangers.

For ordering information:

Online: [www.api.org/pubs](http://www.api.org/pubs)

Phone: 1-800-854-7179  
(Toll-free in the U.S. and Canada)

(+1) 303-397-7056  
(Local and International)

Fax: (+1) 303-397-2740

API members receive a 30% discount where applicable.

# Contents

	Page
1	Scope . . . . . 1
2	Normative References . . . . . 1
3	Terms and Definitions . . . . . 1
4	General . . . . . 3
5	Proposal Information Required . . . . . 4
6	Drawings and Other Required Data . . . . . 4
6.1	Outline Drawings and Other Supporting Data . . . . . 4
6.2	Information Required After Outline Drawings Are Reviewed . . . . . 5
6.3	Reports and Records . . . . . 7
7	Design . . . . . 7
7.1	Design Temperature . . . . . 7
7.2	Design Pressure . . . . . 7
7.3	Cyclic Design . . . . . 8
7.4	Shell . . . . . 8
7.5	Front Closure . . . . . 8
7.6	Rear Closure . . . . . 10
7.7	Tube Bundle . . . . . 10
7.8	Nozzles and Other Connections . . . . . 13
7.9	Shell Supports . . . . . 18
7.10	Gaskets . . . . . 18
7.11	Flanged External Girth Joints . . . . . 18
7.12	Cladding for Corrosion Allowance . . . . . 19
8	Materials . . . . . 19
8.1	General . . . . . 19
8.2	Requirements for Carbon Steel in Sour or Wet Hydrogen Sulfide Service . . . . . 19
8.3	Gaskets . . . . . 20
8.4	Tubes . . . . . 20
9	Fabrication . . . . . 20
9.1	Shells . . . . . 20
9.2	Tubes . . . . . 20
9.3	Welding . . . . . 21
9.4	Heat Treatment . . . . . 21
9.5	Dimensional Tolerances . . . . . 22
9.6	Gasket Contact Surfaces Other Than Nozzle Flange Facings . . . . . 22
9.7	Tube-to-Tubesheet Joints . . . . . 22
9.8	Assembly . . . . . 23
10	Inspection and Testing . . . . . 23
10.1	Quality Assurance . . . . . 23
10.2	Quality Control . . . . . 24
10.3	Pressure Testing . . . . . 25
10.4	Nameplates and Stampings . . . . . 26
11	Preparation for Shipment . . . . . 26
11.1	Protection . . . . . 26
11.2	Identification . . . . . 27

## Contents

	Page
<b>12 Supplemental Requirements</b> .....	<b>27</b>
<b>12.1 General</b> .....	<b>27</b>
<b>12.2 Design</b> .....	<b>27</b>
<b>12.3 Examination</b> .....	<b>27</b>
<b>Annex A (informative) Recommended Practices</b> .....	<b>29</b>
<b>Annex B (informative) Hairpin Heat Exchanger Checklist</b> .....	<b>31</b>
<b>Annex C (informative) Hairpin Heat Exchanger Datasheets</b> .....	<b>33</b>
<b>Bibliography</b> .....	<b>44</b>
<b>Figures</b>	
<b>1 Typical Components of a Hairpin Heat Exchanger</b> .....	<b>2</b>
<b>2 Typical Front Closure</b> .....	<b>9</b>
<b>3 Typical Separated Head Front Closure</b> .....	<b>9</b>
<b>4 Typical Rear Closures</b> .....	<b>10</b>
<b>5 Typical Impingement Sleeve</b> .....	<b>12</b>
<b>6 Directions of Forces and Moments on Connections</b> .....	<b>15</b>
<b>Tables</b>	
<b>1 Minimum Wall Thickness of Tubes</b> .....	<b>11</b>
<b>2 Shell Side Nozzle Allowable Forces and Moments at Nozzle-to-Header Intersection on the Shell Surface</b> .....	<b>15</b>
<b>3 Tube Side Nozzle Allowable Forces and Moments at the Face of the Terminal Connection</b> .....	<b>15</b>
<b>4 <math>G</math> Values for Tube Side Allowable Nozzle Load Calculation</b> .....	<b>17</b>
<b>5 Gasket Contact Surface Finishes</b> .....	<b>22</b>
<b>6 Maximum Allowable Tube Wall Thickness Reduction for Roller-Expanded Tube-to-Tubesheet Joints</b> .....	<b>23</b>
<b>7 Hardness Limits</b> .....	<b>24</b>
<b>B.1 Checklist for Hairpin Heat Exchangers</b> .....	<b>31</b>