

November 2017 and March and July 2018 (Replaces November 2015)

This API Individual Certification Examination is designed to identify applicants possessing the required knowledge to serve as tank entry supervisors. API certified Tank Entry Supervisors must have knowledge of planning and preparation to address potential hazards and achieve safe work conditions during tank entry, ventilation, conducting work and completing the job. This includes knowledge of storage tanks & their construction. Emphasis is placed on entry into aboveground petroleum storage tanks and work associated with tank cleaning. Candidates are given four hours to complete the examination. Questions for the examination are multiple-choice and reference materials are not permitted on the exam.

#### **REFERENCE PUBLICATIONS:**

The primary references for the Tank Entry Supervisor Certification examination are ANSI/API Standard 2015, which defines requirements, and its companion ANSI/API RP 2016, which provides guidance for developing and safely implementing plans in accordance with requirements of API 2015. These standards provide substantial experience-based practical information; they also incorporate by reference additional background material from API and other sources.

<u>Note</u>: Refer to the Publications Effectivity Sheet in the application package for a list of which editions, addenda, and supplements of the reference publications are effective for your exam.

#### **API Publications**

API Standard 2015, Requirements for Safe Entry and Cleaning of Petroleum Storage Tanks
API Recommended Practice 2016, Guidelines and Procedures for Entering & Cleaning Petroleum Storage

Tanks

API Publication 2026, Safe Access/Egress Involving Floating Roofs of Storage Tanks in Petroleum

Service

API Recommended Practice 2207, Preparing Tank Bottoms for Hot Work

API Recommended Practice 2219, Safe Operation of Vacuum Trucks in Petroleum Service

.





#### TES EXAMINATION KNOWLEDGE EXPECTATIONS:

Similar Knowledge Items, which Appear in the General Section or in Subject Sections May Not Be Repeated in the Same Detail in Subsequent Sections, but May Appear as part of Questions on the Examination.

#### GENERAL KNOWLEDGE APPLICABLE TO MORE THAN ONE AREA:

This certification recognizes that while Tank Entry Supervisors direct work relates to tanks, they also fulfill a primary Health & Safety role. ANSI/API 2015 & 2016 are the primary references for this examination, supplemented by additional API standards.

- a) Permit Required Confined Space (PRCS) entry issues. ANSI/API 2015 & 2016 expand guidance to cover areas not addressed by OSHA, including non-permit required confined spaces and non-confined spaces.
- b) Hazard recognition, identification, communication and control are key activities throughout the various project stages. Numerous safety aspects are addressed throughout ANSI/API 2015 & 2016.
- c) Various permits for work or entry appear throughout the references. API 2016 Sections 10.7 & 10.8 provide example permits and discussion for tank cleaning and entry.
- d) Training and personnel qualifications, significant for job performance and regulatory compliance which are required for most of the roles related to tank entry and cleaning. (API 2016 Section 4.4)
- e) Definitions from Section 3 of both ANSI/API 2015 & 2016 and from the other references.
- f) Electrical equipment used inside tanks and around tank cleaning activities and related accepted safe work practices (API 2015 Sections 4.4 & 5.4)

The TES ICP test does not include specific environmental regulations. Applicants should be aware that federal and state environmental regulations have permit or reporting requirements for emissions of hydrocarbons or chemicals to the air, or spills to the ground or water (API 2015 Section 5.1).

# CANDIDATES ARE EXPECTED TO DEMONSTRATE KNOWLEDGE IN THE PRECEDING GENERAL AREAS AND IN THE FOLLOWING SUBJECT AREAS:

1. PROJECT PLANNING (not including field work)
(API 2015 Sections 4, 5, 6 & 7; API 2016 Sections 1 & 10)

Project planning includes identifying and understanding all work phases required to safely complete an aboveground storage tank entry and cleaning project including the ability to identify requirements for properly trained and qualified workers for each activity

#### PROJECT PLANNING QUESTIONS ARE BASED ON THE FOLLOWING TOPICS:

a) Determining the specific scope of work, including methods and who will be responsible for each phase (owner, contractor, subcontractor), the qualifications and training requirements for all personnel and developing a safe work plan





- b) Determining tank construction/configuration/type, including appurtenances and roof-type (API 2016 Section 7; API 2026 Section 3). Hazard identification includes tank physical condition and safety hazards associated with the tank (API 2015 Section 7; API 2016 Section 10.3.2 & Section 12)
- c) Identifying materials in the tank to be entered (such H<sub>2</sub>S, benzene, lead, pyrophorics), the materials to be used to clean or repair the tank, and their associated hazards and establishing a hazard communication plan following the owner/contractor Haz Com program and conforming to: API 2015, Section 5.1. 2; and API 2016, Section 4;
- d) Developing a site plan (with a site review and site walk), including identification of adjacent hazards and potential hazards that may impact on the work area.
- e) Understanding the respective duties of Permit Required Confined Space (PRCS) entrants, attendants, and supervisors.
- f) Establishing confined space classification requirements and permit (entry, hot and cold work) requirements in accordance with owner/contractor confined space and permit programs (API 2015 Section 4.5.1; API 2015 Section 10 API 2016 10.2.3)
- g) Determining methods for disposal/recycling products and residue (API 2015 Section 10.7 & API 2016 Sections 6 & 10.3)
- h) Determining emergency response requirements (including rescue) and identify and qualify responders (API 2015 Section 12; API 2016 Section 10.2.9 text and figures.)
- i) Determine necessary regulatory permits (API 2015 Section 5.5.5 & Section 10)
- j) Determine safety procedures (e.g., lockout/tagout, hot work) required for work to be done.

#### 2. TANK PREPARATION

(API 2015 Section 5; API 2016 Sections 10 & 12; API 2219)


The goal of tank preparation is to make the area around a tank and the atmosphere inside a tank safe for human occupancy. Occupancy occurs during cleaning, while performing internal maintenance and inspection. Preparing the tank prior for decommissioning includes establishing basic permitting requirements; assigning specific responsibility for each phase of operation; removing and safe handling of product from the tank; and proper isolation of the tank space and the adjacent work site.

### TANK PREPARATION QUESTIONS ARE BASED ON THE FOLLOWING TOPICS:

- a) Obtaining necessary facility permits or work orders required for tank preparation. This includes: recognizing need and obtaining confined-space permits (if required) for equipment placement, setting legs, and hand gauging
- b) Hand-gauging the tank to ensure safe level for opening tank
- c) Recognizing the potential for descent onto a floating roof to be confined space entry (API 2016 Section 10.3.2 & Section 12; API 2026).
- d) Setting floating roof legs or suspension cables after obtaining any necessary work permits (API 2015 Section 5.2.1, API 2016 Section 12.4).
- e) Positioning ancillary equipment outside of tank
- f) Isolating tank (lock out/tag out/blinding/disconnecting) (API 2015 Section 5.3;) including cathodic protection system (if provided) (API 2015 Section 5.3.4)







- h) Placing eductors to disperse vapors/control emissions prior to opening manways and then slowly starting an eductor while opening manways (to protect manways from emitting vapors) and testing for toxics, as required (API 2016 Section 10.3.7)
- i) Removing recoverable product in the following sequence (API 2016 Section 6; API 2219)
  - Drawing as much as possible through tank piping/fixed connections
  - Removing additional recoverable material through water draws (and similar connections) without opening tank
  - Removing as much remaining product and sludge as possible through the manway using pump and vacuum (bonded to the tank and grounded)

### 3. VENTILATION AND ATMOSPHERIC TESTING

Ventilation includes the proper placement and operation of degassing, ventilation and/or inerting equipment. Atmospheric testing is used to evaluate the effectiveness of the ventilation to ensure that safe working conditions are met and maintained during the entire work process

# <u>VENTILATION AND ATMOSPHERIC TESTING QUESTIONS ARE BASED ON THE FOLLOWING</u> <u>TOPICS:</u>

# **VENTILATION (API 2016 Section 5)**

- a) Knowing the difference between degassing, ventilating and inerting (API 2016 Sections 3.2.9, 3.2.31, 3.2.62 & 5.6).
- b) Determining degassing, ventilation or inerting requirements and equipment needed
- c) Knowing how to ventilate and where to place equipment (API 2016 Section 5.3 text, figures and examples).
- d) Knowing how to degas and where to place equipment (API 2016 Section 5.8 text and figures)
- e) Knowing how to inert gas purge and where to place equipment (API 2016 Section 5.6).
- f) Understanding the hazards associated with inerting (API 2015 Section 7.2).
- g) Calculating necessary flow rates for required ventilation air changes (API 2016 Section 5.3.3 text and examples)
- h) Placing and bonding eductors (fans), to ventilate (or degas) the tank in preparation for entry.

#### ATMOSPHERIC TESTING (API 2015 Sections 6 & 7.1.2; API 2016 Sections 4, 10 & 11)

- a) Knowing qualifications, and identifying, qualified testers (entrants), attendants and rescuers (API 2015 Section 9)
- b) Determining necessary testing instrumentation (API 2015 Section 6 and API 2016 Section 11).
- c) Conducting initial atmospheric testing from outside the tank (without entry) to determine if condition inside tank meets entry requirements
- d) Understanding the difference between Permissible Exposure Limits(PELs) and Threshold Limit Value (TLVs®) (API 2015 Sections 3.36 & 3.49 and API 2016 Section 4.4.3 & Definitions)
- e) Recognizing that listed PEL or TLV® values in ppm are orders of magnitude lower than percent flammability values and that atmospheres with zero flammability may have unacceptable chemical concentrations in the confined space greater than PEL or TLV® exposure levels (API 2016 11.4.1.1). Since one percent equals 10,000 parts per million the concentration of the flammable material would be:

Percent (v) flammable material in air at LEL x percent LEL meter reading (as decimal) x 10,000 = ppm.





- f) Recognizing the need for 10% minimum oxygen for catalytic flammability meters to work properly (API 2016 Section 11.3.2.1).
- g) Understanding approaches for corrective actions, if necessary, and continuing ventilation (or degassing) and retesting until the tank is safe to enter
- h) Issuing permits for initial entry of testers into the tank to conduct internal atmospheric testing and inspection.

# 4. INITIAL ENTRY FOR VISUAL INSPECTION AND EVALUATION (API 2015 Section 5, 6, 7 & 8; API 2016 Sections 4, 8 & 10)

Initial entry for visual inspection and evaluation includes tank entry under permit conditions, while monitoring the atmosphere, inspecting the tank, determining potential sources of vapor and evaluating the work plan for the required maintenance operation. Continuing ventilation (degassing) until requirements for entry to work are attained. Identifying and assigning entrants; attendants and rescuers. Establishing specific requirements for stopping work and exiting the tank.

#### INITIAL ENTRY TEST OUESTIONS ARE BASED ON THE FOLLOWING TOPICS:

- a) Identifying and addressing residual special hazards (such as H<sub>2</sub>S, benzene or lead exposure, pyrophorics, physical hazards, poor condition of tank bottom or roof supports) (API 2015 Section 7 & 8; API 2016 section 8)
- b) Conducting hazard assessment and specifying PPE requirements for entry (API 2015 Sections 4, 7 & 8; API 2016 Section 4 & 10)
- c) Procedures to communicate with, and notify, tank operator of intent to enter and reason for entry; obtaining all necessary permit signatures.
- d) Implementing confined space entry program and emergency response plan
- e) Conducting testing and authorizing entry permit for inspection
- f) Performing tank pre-cleaning safety inspection and visual inspection for work plan (API 2016 Section 10 text and figures)
- g) Verifying and revising the scope of work (if required) in consultation with the tank owner.
- h) Specifying work to be done and verifying the tank is safe to enter

### 5. CLEANING A TANK

(API 2015 Section 9; API 2016 (especially Section 10) including examples and figures; API 2219)

Cleaning a tank includes: evaluating potential hazards and determining PPE requirements for those conducting the cleaning work; issuing entry and work permits; protecting against leakage into the tank; disposing of products and residue; providing for continued ventilation and testing of the atmosphere during maintenance activities. Additional duties include establishing requirements for canceling permits with work stoppage, exiting and closing the tank and retesting before reissuing permits to resume work. The tank shall be closed when unattended and retested and evaluated before reentry. Requirements shall be determined to enable reclassifying a tank into another entry category.


## TANK CLEANING QUESTIONS ARE BASED ON THE FOLLOWING TOPICS:

Implementing the cleaning plan, including entry and cold work permits in conformance with a confined space entry plan

- a) Maintaining ventilation; continuously (or periodically) test tank internal atmosphere for hazards
- b) Monitoring potential and actual external hazards







- d) Using appropriate electrical equipment (API 2016 Sections 9 & 10).
- e) Monitoring activities and qualifications of cleaning personnel
- Maintaining site security and securing access to avoid inadvertent entry into a confined space when the tank is unattended
- g) Ensuring continuity of supervision during operations
- h) Canceling permits, stopping work, and exiting the tank should conditions change and introduce hazards. Determining hazard cause, making tank safe, retesting and reissuing permits to restart work after permit cancellation
- i) Confirming disposal of sludge and residue in accordance with plan
- j) Verifying completion of cleaning

# 6. TANK ENTRY FOR REPAIRS OR MODIFICATIONS AFTER CLEANING (API 2015 Sections 10 & 11; API 2016 Sections 10 & 12; API 2207)

Entry for repairs/modifications includes: considering the tank to be a permit required confined space until tested and determined otherwise; establishing atmospheric monitoring procedures to determine need and adequacy of ventilation; determining work to be performed and reclassifying tank for various phases of work. Conduct testing and issuing entry and work permits. Conducting work. Inspecting and testing to assure work has been performed as required and that all connections are in place. After work is completed, removing all equipment, tools, parts, debris, etc. from inside and around the tank and (physically) cleaning the tank and surrounding area.

# TANK ENTRY FOR REPAIR OR MODIFICATION QUESTIONS ARE BASED ON THE FOLLOWING TOPICS:

- a) Special precautions needed for entry onto an external floating roof or into internal floating roof confined spaces (API 2016 Section 10.3.2 & Section 12; API 2026 Section 4)
- b) Implementing work plan and confined space entry plan
- c) Specifying exposure limits and PPE for entrants, testers, attendants, and rescuers
- d) Implementing emergency response plan (API 2015 Section 12; API 2016 Section 10.2.9 text and figures)
- e) Determining classification of tank (confined or non-confined space) (API 2015 Section 3.8)
- f) Conducting tests to determine if entry conditions are acceptable and issuing entry permit (if needed) and hot work and cold work permits (API 2016 Section 10.8 text & figures; API 2207)
- g) Monitoring internal and external hazards, including identifying and addressing special hazards
- h) Monitoring activities to assure performance and qualifications of workers
- i) Maintaining site security and closing tank when unattended to avoid inadvertent or unauthorized entry (unless classified as a non-confined space)
- j) Ensuring continuity of supervision during operations
- Canceling permits to stop work, exit tank, and make tank safe should permit conditions change
- l) Reissuing permits to reenter (if needed) and continue work

### 7. RETURNING TANKS TO SERVICE

(API 2015 Section 13; API 2016 Section 10.9 text & figures)

Return to service includes inspecting the tank prior to closing to assure work has been performed in accordance with the plan and tank is clean and ready to go back into service. Closing tank in accordance with





procedures. De-isolating tank. Filling tank in accordance with procedures. Gauging and sampling as required.

- a) Inspecting tank (contractors, owners, and regulatory agency, if required) prior to closing to assure
  - 1. Work has been performed according to plan
  - 2. Tank is clean
  - 3. Equipment and tools have been removed
  - 4. Tank is ready to go back into service.
- b) Verifying that recommissioning activities are complete in accordance with plan
- c) Coordinating with operations personnel regarding tank status
- d) Addressing and notifying appropriate persons regarding changes in configuration of tank (i.e., management of change), when necessary
- e) Securing tank and cleaning the area
- f) Conducting post-entry debriefing with appropriate personnel to provide information for revisions in contractors and/or facility programs.

#### U.S. OSHA COMPLIANCE ASSISTANCE PUBLICATIONS

The following <u>compliance assistance documents</u> from OSHA are <u>NOT</u> included as listed references for the TES test. They may help explain the subjects of cited OSHA regulation. Exam questions will <u>NOT</u> be derived directly from these publications.

#### 29 Code of Federal Regulations (29 CFR) Parts 1910 & 1926

OSHA 1910.38	Employee Emergency Plans and Fire Prevention Plans
OSHA 1910.132-138	Subpart I - Personal Protective Equipment
OSHA 1910.146	Permit-Required Confined Spaces
OSHA 1910.147	Control of Hazardous Energy (Lockout/Tagout)
OSHA 1910.1000	Subpart Z, "Toxic and Hazardous Substances"
OSHA 1910.1200	Hazard Communication
OSHA 1926.400-449	Subpart K - Electrical
OSHA 2254	Training Requirements in OSHA Standards and Training Guidelines – 1998 (Revised)
OSHA 3007	Ground-Fault Protection on Construction Sites 1998 (Revised)
OSHA 3075	Controlling Electrical Hazards 2002 (Revised)
OSHA 3084	Chemical Hazard Communication 1998 (Revised)
OSHA 3088	How to Plan for Workplace Emergencies and Evacuations 2001 (Revised)
OSHA 3111	Hazard Communication Guidelines for Compliance 2000 (Reprinted)
OSHA 3120	Control of Hazardous Energy (Lockout/Tagout) 2002 (Revised)
OSHA 3138-01R	Permit-Required Confined Spaces – Revised 2004

The above OSHA Publications can be downloaded free of charge from the OSHA web site www.osha.gov

Personal Protective Equipment – Revised 2003

OSHA 3151-12R